## Proposed Amendment to the Beltline Area Redevelopment Plan

- The Beltline Area Redevelopment Plan: Part 1 attached to and forming part of Bylaw 2P2006, as amended, is hereby further amended as follows:
  - (a) Delete Table 5.1 entitled 'Density Areas', and associated notes, and replace with the following:

"Table 5.1 Density Areas

Density area	Base Density (Floor Area Ratio FAR)	Maximum density with bonuses and transfers of density (in FAR)
Α	5.0	7.0
В	*3.0 for Commercial West of Macleod Trail 5.0 for Commercial East of Macleod Trail 5.0 for Residential/mixed-use	*3.0 for Commercial West of Macleod Trail 8.0 for Commercial East of Macleod Trail ****9.0 for Residential/mixed-use
С	5.0 for Commercial 8.0 for Residential/mixed-use	8.0 for Commercial 12.0 for Residential/mixed-use
D	**3.0	***3.0 West of Centre Street 4.0 East of Centre Street

**Note:** The maximum densities listed in Table 5.1 may be exceeded by up to 10% through a transfer of heritage density rights.

- \* Subject to a land use redesignation, the maximum allowable commercial floor area may be exceeded when commercial uses are combined with arts and culture uses.
- \*\* 7.9 for the southern portion of the parcel legally described as Plan 1910115, Block 120, Lot 51.
- \*\*\* 9.0 for the southern portion of the parcel legally described as Plan 1910115, Block 120. Lot 51.
- \*\*\*\* 11.0 for the total area encompassing the parcels legally described as Plan A1, Block 106, Lots 24-30."
- (b) In section 5.3.2 entitled "Bonus schedule", policy 3 "Provision of affordable housing units", subheading "Bonus rate", third paragraph, following the word "bonus." add the following sentence:
  - "Changes to this formula, if supported by Administration, may be applied through a land use amendment."
- (c) In section 6.3.6 entitled "Building massing", policy 2 "Body", fifth bullet point, after subpoint "c" add the following:

"d. For development within the area encompassing the parcels legally described as Plan A1, Block 106, Lots 24-30, the maximum floor plate area may be increased to a maximum of 800  $\rm m^{27}$ .

CITY OF CALGARY
RECEIVED
IN COUNCIL CHAMBER

DEC 1 7 2020

TTANH 724 CDC2020

CITY CLERK'S DEPARTMENT