

Associated Outline Plan (LOC2020-0163)

Calgary Planning Commission is the Approving Authority for the Outline Plan. Attachment for Council's reference only.



Legend

- Outline Plan Boundary
- Neighbourhood Activity Centre Boundary
- Community Retail Centre Boundary
- 3.0m Regional Pathway
- 3.0m Multi-Use Pathway
- 2.5m Local Pathway
- Local Pathway
- Maintenance Pathway
- Potential Access Locations
- Proposed Mid-Block Crossing
- Proposed Sanitary Sewer/Manhole
- Proposed Storm Sewer/Manhole
- Proposed Water Main
- Proposed Hydrant
- Proposed Sanitary Sewer/Manhole
- Proposed Storm Sewer/Manhole
- Proposed Water Main
- Proposed Hydrant

Notes

1. All walkways are intended to be 3.0m in width. Where they are required for underground utilities or overland drainage the appropriate easements will be provided.
2. All lanes are 7m unless otherwise noted.
3. All lane cornercuts are to be 3m x 3m.
4. All road cornercuts are to be 4.5m x 4.5m.
5. Storm Park:
 - a) Please refer to the Landscape Concept and SMDP for design details
 - b) SMDP Concept 1 shown for Storm Park. Detailed concept options provided in SMDP.
 - c) All controls structures are within PUL.
 - d) All inlets/outlets are within the PUL.
 - e) There is no UR/W within the pond site at this time.