

Bylaw 37M2005 (Stormwater) Amendment	Reason for Change
<p>In section 2:</p> <p>(a) in subsection (1)(w), the definition of “remedial order”, the words “and in accordance with Part 2 of the Community Standards Bylaw, Bylaw Number 5M2004” are deleted; and</p> <p>(b) in subsection (p.1), the definition of “owner”, the following is added after subsection (iii) as subsection (iv): “(iv) a business operating on the land or premises;”.</p>	<p>Update definition of remedial order to align with the definitions in other bylaws.</p> <p>Business owners and operators are responsible for their business' compliance with Calgary's bylaws; updating definition of Owner to include “a business operating on the land or premises.”</p>
<p>In section 4(3)(b), after the word “less”, the following is added:  “, provided that such water does not contain Prohibited Material”.</p>	<p>Clarify that water discharged to the Stormwater System from a pool, pond, or fountain less than 3000 liters cannot contain any chemicals or other pollutants that could harm the environment.</p> <p>This aligns with the requirement that discharged water does not contain “Prohibited Material” with the rest of the bylaw</p>
<p>In section 8, after the word “manage”, the following is added: “, add controls”.</p>	<p>Include the addition of controls for water and sediment as a possible requirement from the Director in the list of actions related to water flowing from a private parcel.</p> <p>These controls are often listed as a requirement in erosion and sediment control plans for construction sites</p>
<p>In section 11(4), after the word “alter”, the following is added: “damage,”.</p>	<p>Expands definition of actions that are not allowed. This is required to cover more instances of bylaw infractions.</p>
<p>Subsections 18(2), (3), and (4) are deleted and the following is substituted as section 18(4.1): “(4.1) A Remedial Order written pursuant to this Bylaw may be served in accordance with the Community Standards Bylaw 32M2023.”.</p>	<p>Remove detailed requirements on remedial orders and refer to the Community Standards Bylaw as the single source for this information.</p> <p>This will avoid potential conflicts from having similar information in several different bylaws.</p>

Bylaw 14M2012 (Wastewater) Amendment	Reason for Change
<p>In section 3, (a) in the definition of "CAN/CSA B481", the word "2007" is deleted and the following is substituted: "2012"; and (b) in the definition of "owner", the following is added after subsection (iii) as subsection (iv): " (iv) a business operating on the land or <i>premises</i>;".</p>	<p>Update CSA standard definition to refer to most current version from 2012 to ensure the most current standards are being referenced in the bylaw.</p> <p>Update definition of Owner to include "a business operating on the land or premises." Since business owners and operators are responsible for their business' compliance with Calgary's bylaws.</p>
<p>In section 26: Subsection (4)(b) is deleted and the following is substituted: "(b) keep a maintenance log for each <i>pre-treatment system</i> on the <i>premises</i>, in the form prescribed by the <i>Director, Water Services</i>, with a record of every inspection, servicing, and repair; (b.1) keep maintenance logs in accordance with subsection (b) on the <i>premises</i> for a minimum of two years; and"; and The following is added after subsection 4(c) as section 26(4.1): "(4.1) A <i>person</i> must not provide false or misleading information on a maintenance log under this <i>Bylaw</i>."</p>	<p>Include specific details on CSA standard <i>CAN/CSA B481</i> so customers to not have to buy that standard to understand the bylaw requirements.</p> <p>This includes specific details on CSA requirements related to the installation, operation, maintenance, and record keeping for grease interceptors at food service establishments. Grease Interceptors prevent fats, oils, and grease from entering the wastewater system, blocking pipes, and causing wastewater backups in City and private infrastructure</p>
<p>Section 27(1) is deleted in its entirety, and the following is substituted as sections 27(1), (1.1), and (1.2): "27. (1) An <i>owner</i> of a business or a <i>premises</i> that is connected directly or indirectly to the <i>wastewater system</i>, and where food may be cooked, processed, or prepared, and where a <i>fixture</i> or equipment releases <i>wastewater</i> that includes <i>Fats, Oil or Grease</i> must do the following: (a) install a <i>FOG interceptor</i> at a location with <i>adequate access</i> on the upstream side of a <i>monitoring access point</i> in or on the <i>premises</i> to prevent <i>FOG</i> from passing into the <i>wastewater system</i>; (b) select and install a <i>FOG interceptor</i> which is properly sized and designed in accordance with the <i>CAN/CSA B481</i>; (c) ensure <i>FOG interceptor</i> meets the requirements of the <u><i>National Plumbing Code of Canada</i></u>; (d) ensure the <i>FOG interceptor</i> is installed in a location that has <i>adequate access</i> for cleaning; (e) ensure a minimum of 12in (300mm) clearance between the cover of the <i>FOG interceptor</i> and the bottom of the sink or other obstacle; (f) monitor, operate, and <i>properly maintain</i> a <i>FOG interceptor</i> at all times; (g) clean all <i>FOG interceptors</i> monthly or at an interval required by the <i>Director, Water Services</i>; and (h) dispose of exhaust hood wash water in a <i>fixture</i> that is connected to a <i>FOG interceptor</i> or haul such water to a location approved by the <i>Director, Water Services</i>. (1.1) For the purposes of subsection (1) above: (a) "<i>fixture</i>" means a receptacle, sink, appliance, apparatus, or other device that <i>releases</i> or has the potential to <i>release, wastewater</i> or <i>FOG</i> and includes a floor drain;</p>	<p>Include specific details on CSA standard <i>CAN/CSA B481</i> so customers to not have to buy that standard to understand the bylaw requirements.</p> <p>This includes specific details on CSA requirements related to the installation, operation, maintenance, and record keeping for grease interceptors at food service establishments. Grease Interceptors prevent fats, oils, and grease from entering the wastewater system, blocking pipes, and causing wastewater backups in City and private infrastructure.</p>

<p>(b) “adequate access” means easy access for proper cleaning and removal of FOG and sediments, allowing, at a minimum: access by a 50mm (2in) diameter vacuum hose, and for personnel to reach all removable internal components; and</p> <p>(c) “properly maintain” means removing the entire contents and thoroughly cleaning the <i>FOG interceptor</i>.</p> <p>(1.2) The <i>Director, Water Services</i> may:</p> <p>(a) prescribe the frequency of <i>FOG interceptor</i> cleanings; and</p> <p>(b) prescribe approved locations for disposal of hauled hood wash water.”.</p>	
<p>In section 34(1)(c):</p> <p>(a) the word “; and” in subsection (iv) is deleted and the following is substituted:“.”; and</p> <p>(b) subsection (v) is deleted in its entirety.</p>	<p>Removes specific requirements related to hauled wastewater manifests that are used for reporting the source and types of wastewater being disposed of at City of Calgary facilities.</p> <p>This edit is needed for consistency since these requirements are clearly stated in the manifest template that wastewater haulers are required to complete, so removing them from the bylaw will mitigate the risk of conflicting information between the bylaw and the manifest.</p>
<p>In section 34.1: subsection (2) is deleted and the following is substituted:</p> <p>“(2) The operator of a <i>full service food vehicle</i> must dispose of <i>wastewater</i> at a location approved by the <i>Director, Water Services</i>.”;</p> <p>subsection (3) is deleted; and after subsection (5), the following is added as section 34.1(6):</p> <p>“(6) The operator of a <i>full-service food vehicle</i> must equip that vehicle with a greywater disposal connection as approved by the <i>Director, Water Services</i>.”.</p>	<p>Adds some needed definition about how food trucks operate within the Wastewater bylaw.</p> <p>Clarifies that it is the operator of a full-service food vehicle (food truck) who is responsible for meeting current bylaw requirements.</p>
<p>Sections 43(1), (2) and (3) are deleted and the following is substituted as sections 43(3.1) and 43(3.2):</p> <p>“(3.1) Where:</p> <p>(a) the <i>Director, Community Planning</i>;</p> <p>(b) the <i>Director, Water Services</i>; or</p> <p>(c) an <i>Officer</i>;</p> <p>believes a <i>Person</i> has contravened any provision of this Bylaw, they may issue to the <i>Person</i> a <i>Remedial Order</i> to remedy the infraction.</p> <p>(3.2) A <i>Remedial Order</i> issued pursuant to this Bylaw may be served in accordance with the Community Standards Bylaw 32M2023.”.</p>	<p>Remove detailed requirements on remedial orders and refer to the Community Standards Bylaw as the single source for this information.</p> <p>This will avoid potential conflicts from having similar information in several different bylaws.</p>

Bylaw 14M2012 (Wastewater) Amendment (...continued) In Schedule "J" - "Offences and Penalties":				Reason for Change
(a) after:				Update Offences and Penalties section to align with changes made in other sections of the bylaw.
<b>Section</b>	<b>Description of Offences</b>	<b>Minimum Penalty</b>	<b>Specified Penalty</b>	
"26(4)(a)	Failing to obtain and retain manuals, instructions and specifications related to the installation, operation, maintenance and cleaning of the <i>pre-treatment system</i> installed at the <i>premises</i>	\$100	\$200"	
the following is deleted under the headings indicated:				
<b>Section</b>	<b>Description of Offences</b>	<b>Minimum Penalty</b>	<b>Specified Penalty</b>	
"26(4)(b)	Failing to maintain a maintenance schedule and record of each maintenance for the <i>pre-treatment system</i> installed at a <i>premises</i> for a period of two years, including records for disposal of <i>waste residue</i>	\$100	\$500"	
and the following is substituted in its place under the headings indicated:				
<b>Section</b>	<b>Description of Offences</b>	<b>Minimum Penalty</b>	<b>Specified Penalty</b>	
"26(4)(b)	Failure to keep a maintenance log in accordance with this Bylaw	\$100	\$500	
26(4)(b.1)	Failure to keep maintenance logs for length of time required	\$100	\$500";	
(b) after:				
<b>Section</b>	<b>Description of Offences</b>	<b>Minimum Penalty</b>	<b>Specified Penalty</b>	
"26(4)(c)	Failing to submit records requested by the <i>Director</i>	\$100	\$500"	
the following is deleted under the headings indicated:				
<b>Section</b>	<b>Description of Offences</b>	<b>Minimum Penalty</b>	<b>Specified Penalty</b>	
"27(1)(a)	Failing to install a <i>FOG interceptor</i> as required by subsection 27(1)(a)	\$500	\$2000	
27(1)(b)	Failing to monitor, operate, properly maintain and clean each <i>FOG interceptor</i> as required by subsection 27(1)(b)	\$500	\$1500	
27(1)(c)	Failing to ensure that <i>wastewater</i> does not exceed the maximum allowable concentration limits for <i>FOG</i> set out in Schedule C of the <i>Bylaw</i>	\$1000	\$3000	
27(1)(d)	Failing to submit <i>interceptor</i> maintenance records requested by the <i>Director</i>	\$100	\$500"	

and the following is substituted in its place under the headings indicated:

Section	Description of Offences	Minimum Penalty	Specified Penalty
"27(1)(a)	Failing to install a <i>FOG interceptor</i> at a location with <i>adequate access</i>	\$500	\$2000
27(1)(b)	Failing to select and install a properly designed <i>FOG interceptor</i>	\$500	\$2000
27(1)(c)	<i>FOG interceptor</i> fails to meet requirements of <i>National Plumbing Code of Canada</i>	\$500	\$2000
27(1)(d)	<i>FOG interceptor</i> installed in improper location	\$500	\$2000
27(1)(e)	<i>FOG interceptor</i> installed without appropriate clearance	\$500	\$2000
27(1)(f)	Failing to monitor, operate, and <i>properly maintain</i> a <i>FOG interceptor</i>	\$500	\$1500
27(1)(g)	Failing to clean <i>FOG interceptor</i> at required interval	\$500	\$1500
27(1)(h)	Failing to dispose of exhaust hood wash water in accordance with this <i>Bylaw</i>	\$500	\$1500";

and

(c) after the following:

Section	Description of Offences	Minimum Penalty	Specified Penalty
"34.1(5)	Failing to provide logbook upon request	\$100	\$200"

the following is added:

Section	Description of Offences	Minimum Penalty	Specified Penalty
"34.1(6)	Failing to equip Food Service Vehicle with a proper greywater disposal connection	\$500	\$1500".

<b>Bylaw 40M2006 (Water Utility) Amendment</b>			<b>Reason for Change</b>																		
<p>In section 47(1), the words "is guilty of an offence" are deleted and the following words are substituted:</p> <p>"commits an offence."</p>			<p>Updates wording to the preferred language in bylaw.</p>																		
<p>In <b>Schedule "B" -- OFFENCES: SPECIFIED PENALTIES</b>, after:</p> <table border="1"> <thead> <tr> <th><u>SECTION NUMBER</u></th> <th></th> <th><u>SPECIFIED PENALTY</u></th> </tr> </thead> <tbody> <tr> <td>"39(4)</td> <td>Fail to retain test records on-site</td> <td>\$500"</td> </tr> </tbody> </table> <p>the following is deleted under the headings indicated:</p> <table border="1"> <thead> <tr> <th><u>SECTION NUMBER</u></th> <th></th> <th><u>SPECIFIED PENALTY</u></th> </tr> </thead> <tbody> <tr> <td>"39(5)</td> <td>Fail to file passed Testable Cross Connection Control Devise test report within thirty days</td> <td>\$500"</td> </tr> </tbody> </table> <p>and the following is substituted in its place under the headings indicated:</p> <table border="1"> <thead> <tr> <th><u>SECTION NUMBER</u></th> <th></th> <th><u>SPECIFIED PENALTY</u></th> </tr> </thead> <tbody> <tr> <td>"39(5)</td> <td>Fail to file passed Testable Cross Connection Control Device test report within five days</td> <td>\$500".</td> </tr> </tbody> </table>				<u>SECTION NUMBER</u>		<u>SPECIFIED PENALTY</u>	"39(4)	Fail to retain test records on-site	\$500"	<u>SECTION NUMBER</u>		<u>SPECIFIED PENALTY</u>	"39(5)	Fail to file passed Testable Cross Connection Control Devise test report within thirty days	\$500"	<u>SECTION NUMBER</u>		<u>SPECIFIED PENALTY</u>	"39(5)	Fail to file passed Testable Cross Connection Control Device test report within five days	\$500".
<u>SECTION NUMBER</u>		<u>SPECIFIED PENALTY</u>																			
"39(4)	Fail to retain test records on-site	\$500"																			
<u>SECTION NUMBER</u>		<u>SPECIFIED PENALTY</u>																			
"39(5)	Fail to file passed Testable Cross Connection Control Devise test report within thirty days	\$500"																			
<u>SECTION NUMBER</u>		<u>SPECIFIED PENALTY</u>																			
"39(5)	Fail to file passed Testable Cross Connection Control Device test report within five days	\$500".																			