

Proposed Direct Control Guidelines

Purpose

- 1 This Direct Control District is intended to:
- (a) provide for the **development** of a six storey mixed-use **building** of architectural significance and high urban design merit that aligns with the plans in Schedule “C” as a **permitted use**; and
 - (b) diversify the types of businesses operating in the neighbourhood by accommodating a neighbourhood-scale specialized beer and wine store concept.

Compliance with Bylaw 1P2007

- 2 Unless otherwise specified, the rules and provisions of Parts 1, 2, 3 and 4 of Bylaw 1P2007 apply to this Direct Control District.

Reference to Bylaw 1P2007

- 3 Within this Direct Control District, a reference to a section of Bylaw 1P2007 is deemed to be a reference to the section as amended from time to time.

Defined Uses

- 4 In this Direct Control District:
- (a) **“Permitted Development”** means a **use**:
 - (i) that conforms with the plans attached to this Direct Control District as Schedule “C”.
 - (b) **“Specialized Beer & Wine Merchant”** means a **use**:
 - (i) where beer and wine are sold for consumption off the retail outlet premises that has been licensed by the Alberta Gaming and Liquor Commission;
 - (ii) may include the sale of beer, table wine, fortified wine (appetizer, dessert, port and sherry), sparkling wine, crackling wine, bubbling wine, champagne, wine coolers, ciders and related accessories; and
 - (iii) that may have a private hospitality area where retail products are provided to private groups for tasting and consumption as a special event.

Permitted Uses

- 5 (1) The **permitted uses** of the Mixed Use – Active Frontage (MU-2) District of Bylaw 1P2007 are the **permitted uses** in this Direct Control District.
- (2) The following **uses** are the **permitted uses** in this Direct Control District provided the **development** conforms with the plans attached to Schedule “C” of this Direct Control District:
- (a) **Permitted Development**; and
 - (b) **Specialized Beer & Wine Merchant**.

Proposed Direct Control Guidelines

Discretionary Uses

6 The ***discretionary uses*** of the Mixed Use – Active Frontage (MU-2) District of Bylaw 1P2007 are the ***discretionary uses*** in this Direct Control District with the exclusion of:

- (a) **Liquor Store.**

Bylaw 1P2007 District Rules

7 Unless otherwise specified, the rules of the Mixed Use – Active Frontage (MU-2) District of Bylaw 1P2007 apply in this Direct Control District.

Floor Area Ratio

- 8 (1) The maximum ***floor area ratio*** is 2.5.
- (2) For a **Permitted Development** that conforms with the plans attached to this Direct Control District as Schedule “C”, the maximum ***floor area ratio*** is 4.0.

Building Height

- 9 (1) The maximum ***building height*** is 16.0 metres.
- (2) For a **Permitted Development** that conforms with the plans attached to this Direct Control District as Schedule “C”, the maximum ***building height*** is 22.0 metres.

Development Plans for Permitted Development

- 10 Comprehensive plans must be submitted to the ***Development Authority*** as part of a ***development permit*** application for **Permitted Development**. In considering such an application, the ***Development Authority*** must ensure the ***development*** plans conform with the plans attached to this Direct Control District as Schedule “C”.

Proposed Direct Control Guidelines

Schedule C: Development Plans for Permitted Development

20.06.2018
2240, 2236, 2232 - 33 AVENUE SW
SCHEDULE C: SIMPLIFIED PLANS

Proposed Direct Control Guidelines


PARKADE ANNOTATIONS

- 01 UNDERGROUND PARKADE EXIT RAMP
- 02 CLASS II BICYCLE STORAGE & REPAIR ROOM
- 03 COMMERCIAL & VISITOR PARKING STALLS
- 04 RESIDENTIAL PARKING STALLS
- 05 PARKADE RAMP

LEGEND

- COMMERCIAL RETAIL UNIT
- LIVABLE UNIT AND/OR DWELLING UNIT
- DWELLING UNIT
- PARKING AREA
- BUILDING SERVICE SPACE
- WASTE & RECYCLING
- MECHANICAL/ELECTRICAL ROOM

DISCLAIMER: INTERNAL DIMENSION WALLS AND STAIR ACCESS, PRESENTED FOR INFORMATION ONLY. THESE ARE CONCEPTUAL LANDSCAPING AND PUBLIC AMENITY AREA DETAILS. AND WINDOW GLAZING / BALCONY CONFIGURATIONS ARE CONCEPTUAL IN NATURE AND ARE TO BE TREATED AS FLEXIBLE COMPONENTS OF THE DESIGN. DIMENSIONS AND MATERIALS OF THESE INDIVIDUAL BUILDING ELEMENTS SHALL BE IN GENERAL CONFORMANCE WITH THIS DRAWING PACKAGE.




P01 PLAN

Proposed Direct Control Guidelines

- PARKADE ANNOTATIONS**
- 01 UNDERGROUND PARKADE EXIT RAMP
 - 02 CLASS II BICYCLE STORAGE & REPAIR ROOM
 - 03 COMMERCIAL & VISITOR PARKING STALLS
 - 04 RESIDENTIAL PARKING STALLS
 - 05 PARKADE RAMP


- LEGEND**
- COMMERCIAL RETAIL UNIT
 - LIVE/WORK UNIT AND/OR DWELLING UNIT
 - DWELLING UNIT
 - PARKING AREA
 - BUILDING SERVICE SPACE
 - WASTE & RECYCLING
 - MECHANICAL/ELECTRICAL ROOM

DISCLAIMER: INTERNAL DEMISING WALLS AND STAIR ACCESS, PERMITTED MECHANICAL EQUIPMENT LOCATIONS, GLAZING / BALCONY CONFIGURATIONS ARE CONCEPTUAL IN NATURE AND ARE TO BE TREATED AS FLEXIBLE COMPONENTS OF THE BUILDING DESIGN. HOWEVER, THE DESIGN OF THESE INFORMATION IS BASED ON THE BUILDING DESIGN PACKAGE CONFORMANCE WITH THIS DRAWING PACKAGE.




P02 PLAN

Proposed Direct Control Guidelines



Proposed Direct Control Guidelines



Proposed Direct Control Guidelines

RESIDENTIAL ANNOTATIONS

01

RESIDENTIAL ELEVATOR LOBBY

02

RESIDENTIAL CORRIDOR

03

TAPERED BALCONY (COVERED)

04

TAPERED BALCONY (OPEN AIR)

05

EXTERIOR EXIT STAIR (ACCESS TO 33 AVENUE SW)

06

EXTERIOR EXIT STAIR (ACCESS TO LAKE)

07

SCREENED MECHANICAL EQUIPMENT

08

STAIR ACCESS TO UNIT ABOVE
[SKIP STOP CORRIDOR]

09

STAIR ACCESS TO CORRIDOR BELOW
[SKIP STOP CORRIDOR]

LEGEND

COMMERCIAL RETAIL UNIT

LIVESTOCK UNIT AND/OR DWELLING UNIT

DWELLING UNIT

PARKING AREA

BUILDING SERVICE SPACE

WASTE & RECYCLING

MECHANICAL/ELECTRICAL ROOM


DISCLAIMER: INTERNAL DEMISING WALLS AND STAIR ACCESS, STAIRS, ELEVATOR LOBBIES, AND STAIRS ARE CONCEPTUAL LANDSCAPING AND PUBLIC AMENITY AREA DETAILS. AND WINDOW GLAZING / BALCONY CONFIGURATIONS ARE CONCEPTUAL IN NATURE AND ARE TO BE TREATED AS FLEXIBLE COMPONENTS OF THE DESIGN. DESIGNERS SHALL BE RESPONSIBLE FOR ENSURING INDIVIDUAL BUILDING ELEMENTS SHALL BE IN GENERAL CONFORMANCE WITH THIS DRAWING PACKAGE.

LEVEL 3 PLAN


CPC2018-0812- Attach 6
ISC: UNRESTRICTED

Page 8 of 17


Proposed Direct Control Guidelines



Proposed Direct Control Guidelines



Proposed Direct Control Guidelines



Proposed Direct Control Guidelines

RESIDENTIAL ANNOTATIONS

01

RESIDENTIAL ELEVATOR LOBBY

02

RESIDENTIAL CORRIDOR

03

TAPERED BALCONY (COVERED)

04

TAPERED BALCONY (OPEN AIR)

05

EXTERIOR EXIT STAIR (ACCESS TO 33 AVENUE SW)

06

EXTERIOR EXIT STAIR (ACCESS TO LAKE)

07

SCREENED MECHANICAL EQUIPMENT

08

STAIR ACCESS TO UNIT ABOVE
[SKIP STOP CORRIDOR]

09

STAIR ACCESS TO CORRIDOR BELOW
[SKIP STOP CORRIDOR]

LEGEND

COMMERCIAL RETAIL UNIT

LIVESTOCK UNIT AND/OR DWELLING UNIT

DWELLING UNIT

PARKING AREA

BUILDING SERVICE SPACE

WASTE & RECYCLING

MECHANICAL/ELECTRICAL ROOM


DISCLAIMER: INTERNAL DIMENSIONING WALLS AND STAIR ACCESS, STAIRS, ELEVATOR LOBBIES, AND STAIRS ARE CONCEPTUAL. LANDSCAPING AND PUBLIC AMENITY AREA DETAILS, AND WINDOW GLAZING / BALCONY CONFIGURATIONS ARE CONCEPTUAL IN NATURE AND ARE TO BE TREATED AS FLEXIBLE COMPONENTS OF THE DESIGN. DIMENSIONS AND DETAILS OF BUILDINGS AND INDIVIDUAL BUILDING ELEMENTS SHALL BE IN GENERAL CONFORMANCE WITH THIS DRAWING PACKAGE.

ROOF PLAN

CPC2018-0812- Attach 6
ISC: UNRESTRICTED

Page 12 of 17


Proposed Direct Control Guidelines



* EXTERIOR CLADDING TO CONSIST OF HIGH QUALITY RAINSCREEN SYSTEM

SOUTH ELEVATION

Proposed Direct Control Guidelines




DISCLAIMER: INTERNAL DIMENSIONS WALLS AND STAIR ACCESS, EXTERIOR CLADDING TO CONSIST OF HIGH-QUALITY RAINSCREEN SYSTEM, GLAZING / BALCONY CONFIGURATIONS ARE CONCEPTUAL IN NATURE AND ARE TO BE TREATED AS FLEXIBLE COMPONENTS OF THE BUILDING DESIGN. THESE ELEMENTS SHALL BE DESIGNED TO CONFORM WITH THIS DRAWING PACKAGE.

* EXTERIOR CLADDING TO CONSIST OF HIGH-QUALITY RAINSCREEN SYSTEM

WEST ELEVATION

Proposed Direct Control Guidelines



DISCLAIMER: INTERNAL DEMISING WALLS AND STAIR ACCESS, PRE-CISE ENTRY AND MECHANICAL EQUIPMENT LOCATIONS, LANDSCAPING AND PUBLIC AMENITY AREA DETAILS, AND WINDOW GLAZING / BALCONY CONFIGURATIONS ARE CONCEPTUAL IN NATURE AND ARE TO BE TREATED AS FLEXIBLE COMPONENTS OF THE BUILDING DESIGN. HOWEVER, THE DESIGN OF THESE INDIVIDUAL BUILDING ELEMENTS SHALL BE IN GENERAL CONFORMANCE WITH THIS DRAWING PACKAGE.

• EXTERIOR CLADDING TO CONSIST OF HIGH QUALITY RAINSCREEN SYSTEM

NORTH ELEVATION

Proposed Direct Control Guidelines

- LEGEND

SOLID PANEL

PERFORATED PANEL
- GROUND FLOOR ANNOTATIONS

01 PRIMARY COURTYARD ACCESS [GRAND PUBLIC STAIRCASE] FROM LEVEL 1 TO LEVEL 2

02 SECONDARY COURTYARD ACCESS [PUBLIC STAIRCASE] FROM LEVEL 1 TO LEVEL 2

03 ACTIVE STREET FRONTAGE WITH PRIMARY ENTRANCES LOCATED ALONG 33 AVENUE SW

04 PRINCIPAL BUILDING ENTRANCE

05 SUPPORT COLUMN [DOUBLE HEIGHT ARCADE]

06 ACTIVE STREET FRONTAGE WITH HIGH DEGREE OF WINDOW GLAZING

07 UNDERGROUND PARKADE ENTRY / EXIT

08 LANE-ACTIVATING MICRO-RETAIL ENTRANCES

09 ROLL-DOOR FOR GARBAGE & RECYCLING

10 NEW DECIDUOUS TREE

RESIDENTIAL ANNOTATIONS

03 TAPERED BALCONY [COVERED]

04 TAPERED BALCONY [OPEN AIR]


05 EXTERIOR EXIT STAIR [ACCESS TO 33 AVENUE SW]

06 EXTERIOR EXIT STAIR [ACCESS TO LANE]

07 SCREENED MECHANICAL EQUIPMENT
- DISCLAIMER: INTERNAL DIMENSIONING WALLS AND STAIR ACCESS, PRECISE ENTRY AND MECHANICAL EQUIPMENT LOCATIONS, WINDOW AND BALCONY CONFIGURATIONS ARE CONCEPTUAL IN NATURE AND ARE TO BE TREATED AS FLEXIBLE COMPONENTS OF THE BUILDING DESIGN. HOWEVER, THE DESIGN OF THESE ELEMENTS MUST CONFORM WITH THE CITY OF VANCOUVER'S INTERNAL CONFORMANCE WITH THIS DRAWING PACKAGE.
- Architectural elevation drawing of the East Elevation. The drawing shows a building facade with various annotations and dimensions. The total width is 125'-0" ± PROPERTY LINE. The total height is 22'-0" ±. Annotations include: 01 (Primary Courtyard Access), 02 (Secondary Courtyard Access), 03 (Active Street Frontage with Primary Entrances), 04 (Principal Building Entrance), 05 (Support Column), 06 (Active Street Frontage with High Degree of Window Glazing), 07 (Underground Parkade Entry / Exit), 08 (Lane-Activating Micro-Retail Entrances), 09 (Roll-door for Garbage & Recycling), 10 (New Deciduous Tree), 03 (Tapered Balcony [Covered]), 04 (Tapered Balcony [Open Air]), 05 (Exterior Exit Stair [Access to 33 Avenue SW]), 06 (Exterior Exit Stair [Access to Lane]), and 07 (Screened Mechanical Equipment). Dimensions include: 22'-0" ±, 19'-0" ±, 10'-0" ±, 9'-0" ±, and 125'-0" ± PROPERTY LINE.
- NOTE: OPPORTUNITIES FOR GRAPHIC APPLIQUES, TEMPORARY MURALS, AND OTHER ARTISTIC INTERVENTIONS THAT IMPROVE THE INTERIM BUILD-TO-PROPERTY LINE CONDITION.
- * EXTERIOR CLADDING TO CONSIST OF HIGH QUALITY RAINSCREEN SYSTEM
EAST ELEVATION
- CPC2018-0812- Attach 6
ISC: UNRESTRICTED

Page 16 of 17

Proposed Direct Control Guidelines



DISCLAIMER: INTERNAL DIMENSION WALLS AND STAIR ACCESS, FLOOR FINISHES, INTERIOR PARTITION WALLS, CEILING FINISHES, LANDSCAPING AND PUBLIC AMENITY AREA DETAILS, AND WINDOW GLAZING / BALCONY CONFIGURATIONS ARE CONCEPTUAL IN NATURE AND ARE TO BE TREATED AS FLEXIBLE COMPONENTS OF THE BUILDING DESIGN. HOWEVER, THE DESIGN OF THESE BUILDING ELEMENTS SHALL IN GENERAL CONFORM WITH THIS DRAWING PACKAGE.

SECTION