

PROPOSED

CPC2018-1078
ATTACHMENT 2

BYLAW NUMBER 279D2018

**BEING A BYLAW OF THE CITY OF CALGARY
TO AMEND THE LAND USE BYLAW 1P2007
(LAND USE AMENDMENT
LOC2018-0155/CPC2018-1078)**

WHEREAS it is desirable to amend the Land Use Bylaw Number 1P2007 to change the land use designation of certain lands within the City of Calgary;

AND WHEREAS Council has held a public hearing as required by Section 692 of the Municipal Government Act, R.S.A. 2000, c.M-26 as amended;

NOW, THEREFORE, THE COUNCIL OF THE CITY OF CALGARY ENACTS AS FOLLOWS:

1. The Land Use Bylaw, being Bylaw 1P2007 of the City of Calgary, is hereby amended by deleting that portion of the Land Use District Map shown as shaded on Schedule "A" to this Bylaw and substituting therefor that portion of the Land Use District Map shown as shaded on Schedule "B" to this Bylaw, including any land use designation, or specific land uses and development guidelines contained in the said Schedule "B".
2. This Bylaw comes into force on the date it is passed.

READ A FIRST TIME ON _____

READ A SECOND TIME ON _____

READ A THIRD TIME ON _____

MAYOR

SIGNED ON _____


CITY CLERK

SIGNED ON _____

PROPOSED

AMENDMENT LOC2018-0155/CPC2018-1078
BYLAW NUMBER 279D2018


SCHEDULE A



PROPOSED

AMENDMENT LOC2018-0155/CPC2018-1078
BYLAW NUMBER 279D2018

SCHEDULE B



DIRECT CONTROL DISTRICT

Purpose

1 This Direct Control District is intended to:

- (a) accommodate a proposed hydrovac treatment facility that remediates non-hazardous slurry that has been extracted and transported to the facility; and
- (b) accommodate the unique and innovative nature of a hydrovac treatment facility, where no materials touch the ground and all operations are contained within an existing **building** on site.

Compliance with Bylaw 1P2007

2 Unless otherwise specified, the rules and provisions of Parts 1, 2, 3 and 4 of Bylaw 1P2007 apply to this Direct Control District.

PROPOSED

AMENDMENT LOC2018-0155/CPC2018-1078
BYLAW NUMBER 279D2018

Reference to Bylaw 1P2007

- 3 Within this Direct Control District, a reference to a section of Bylaw 1P2007 is deemed to be a reference to the section as amended from time to time.

Permitted Uses

- 4 The **permitted uses** of the Industrial – General (I-G) District of Bylaw 1P2007 are the **permitted uses** in this Direct Control District.

Discretionary Uses

- 5 The **discretionary uses** of the Industrial – General (I-G) District of Bylaw 1P2007 are the **discretionary uses** in this Direct Control District with the addition of:

- (a) **Waste Disposal and Treatment Facility.**

Bylaw 1P2007 District Rules

- 6 Unless otherwise specified, the rules of the Industrial – General (I-G) District of Bylaw 1P2007 apply in this Direct Control District.

Building Size

- 7 The maximum **gross floor area** of all **buildings** in this Direct Control District that are not serviced by **City** water and sewer, is 4500.0 square metres.

Location of Uses

- 8 A **Waste Disposal and Treatment Facility** must be confined within a **building**.