


- We Object to the approval of these bylaws that will allow a development to flood Brodylo Farms land
- This development fails to accommodate or preserve the pre-existing and interconnected drainage network which will result in the planned and extensive flooding of Brodylo Farms upstream lands.

## **Problem**

- The approved SMDP for this proposed bylaw contains significant errors that ignore the high risk of postdevelopment flooding.
- The SMDP uses flawed data, assumptions, and conclusions from the MDP.
- EXP 2018 Providence MDP predicts 100% probability of flooding Brodylo Farms. (See EXP 2018 MDP Wetland #6 Graph page 32 and page 66)









EXP claims there is no connecting drainage between Brodylo through Qualico to Dream parcels. This is clearly not correct as shown. This is also not consistent with all other maps, studies and technical opinions. Please see next slide.

## **Composite of Studies rendering interpreted**



- Stantec 2007 Providence MDP
- CanVec (NRC) CofC, Ecotone 2015, EXP 2015, Ghostpine 2018
- 1924 Air photo Drainage, Burgess/Brodylo Farms
- Trace Associates Qualico, W35-22-2W5 2018 WAIR Report



3-D color hillshade rendering of surface topography showing the current wetlands and drainage courses that are interconnected with the Dream development application

## Thank You For Listening: Do You Have Any QUESTIONS?

CITY OF CALGARY RECEIVED IN COUNCIL CHAMBER

FEB 04 2019

ITEM: CPC 2019-1359 8.22 Distribution

CITY CLERK'S DEPARTMENT